



SAMPLE PART # : 2520MXL012

ZR TIMING

MXL SECTION .080 IN. PITCH

PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH
264MXL012	2.64	33	704MXL012	7.04	88	1040MXL012	10.4	130	1888MXL012	18.88	236
360MXL012	3.6	45	728MXL012	7.28	91	1056MXL012	10.56	132	1984MXL012	19.84	248
432MXL012	4.32	54	736MXL012	7.36	92	1072MXL012	10.72	134	1992MXL012	19.92	249
440MXL012	4.4	55	752MXL012	7.52	94	1112MXL012	11.12	139	2048MXL012	20.48	256
448MXL012	4.48	56	760MXL012	7.6	95	1120MXL012	11.2	140	2144MXL012	21.44	268
456MXL012	4.56	57	776MXL012	7.76	97	1136MXL012	11.36	142	2240MXL012	22.4	280
464MXL012	4.64	58	800MXL012	8	100	1176MXL012	11.76	147	2384MXL012	23.84	298
480MXL012	4.8	60	808MXL012	8.08	101	1184MXL012	11.84	148	2480MXL012	24.8	310
488MXL012	4.88	61	816MXL012	8.16	102	1200MXL012	12	150	2520MXL012	25.2	315
536MXL012	5.36	67	824MXL012	8.24	103	1224MXL012	12.24	153	2680MXL012	26.8	335
544MXL012	5.44	68	840MXL012	8.4	105	1272MXL012	12.72	159	2776MXL012	27.76	347
568MXL012	5.68	71	856MXL012	8.56	107	1280MXL012	12.8	160	2880MXL012	28.8	360
576MXL012	5.76	72	864MXL012	8.64	108	1320MXL012	13.2	165	2920MXL012	29.2	365
600MXL012	6	75	912MXL012	9.12	114	1400MXL012	14	175	3200MXL012	32	400
632MXL012	6.32	79	920MXL012	9.2	115	1472MXL012	14.72	184	3472MXL012	34.72	434
640MXL012	6.4	80	960MXL012	9.6	120	1520MXL012	15.2	190	3624MXL012	36.24	453
656MXL012	6.56	82	984MXL012	9.84	123	1560MXL012	15.6	195	3704MXL012	37.04	463
672MXL012	6.72	84	1000MXL012	10	125	1600MXL012	16	200	3784MXL012	37.84	473
680MXL012	6.8	85	1008MXL012	10.08	126	1768MXL012	17.68	221	4040MXL012	40.4	505
264MXL019	2.64	33	704MXL019	7.04	88	1040MXL019	10.4	130	1888MXL019	18.88	236
360MXL019	3.6	45	728MXL019	7.28	91	1056MXL019	10.56	132	1984MXL019	19.84	248
432MXL019	4.32	54	736MXL019	7.36	92	1072MXL019	10.72	134	1992MXL019	19.92	249
440MXL019	4.4	55	752MXL019	7.52	94	1112MXL019	11.12	139	2048MXL019	20.48	256
448MXL019	4.48	56	760MXL019	7.6	95	1120MXL019	11.2	140	2144MXL019	21.44	268
456MXL019	4.56	57	776MXL019	7.76	97	1136MXL019	11.36	142	2240MXL019	22.4	280
464MXL019	4.64	58	800MXL019	8	100	1176MXL019	11.76	147	2384MXL019	23.84	298
480MXL019	4.8	60	808MXL019	8.08	101	1184MXL019	11.84	148	2480MXL019	24.8	310
488MXL019	4.88	61	816MXL019	8.16	102	1200MXL019	12	150	2520MXL019	25.2	315
536MXL019	5.36	67	824MXL019	8.24	103	1224MXL019	12.24	153	2680MXL019	26.8	335
544MXL019	5.44	68	840MXL019	8.4	105	1272MXL019	12.72	159	2776MXL019	27.76	347
568MXL019	5.68	71	856MXL019	8.56	107	1280MXL019	12.8	160	2880MXL019	28.8	360
576MXL019	5.76	72	864MXL019	8.64	108	1320MXL019	13.2	165	2920MXL019	29.2	365
600MXL019	6	75	912MXL019	9.12	114	1400MXL019	14	175	3200MXL019	32	400
632MXL019	6.32	79	920MXL019	9.2	115	1472MXL019	14.72	184	3472MXL019	34.72	434
640MXL019	6.4	80	960MXL019	9.6	120	1520MXL019	15.2	190	3624MXL019	36.24	453
656MXL019	6.56	82	984MXL019	9.84	123	1560MXL019	15.6	195	3704MXL019	37.04	463
672MXL019	6.72	84	1000MXL019	10	125	1600MXL019	16	200	3784MXL019	37.84	473
680MXL019	6.8	85	1008MXL019	10.08	126	1768MXL019	17.68	221	4040MXL019	40.4	505

MXL CONTINUED PG 71

ZR MXL
ZR TIMING

EXAMPLE SIZING:
 Part Number: 864MXL012
 864 = 8.64 in. Pitch Length MXL = Section Size Q12 = .12 in. Belt Width
 Part Number: 1280MXL019
 1280 = 12.8 in. Pitch Length MXL = Section Size Q19 = .19 in. Belt Width

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.



MXL SECTION .080 IN. PITCH

ZR TIMING

SAMPLE PART # : 1184MXL025

PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH
264MXL025	2.64	33	704MXL025	7.04	88	1040MXL025	10.4	130	1888MXL025	18.88	236
360MXL025	3.60	45	728MXL025	7.28	91	1056MXL025	10.56	132	1984MXL025	19.84	248
432MXL025	4.32	54	736MXL025	7.36	92	1072MXL025	10.72	134	1992MXL025	19.92	249
440MXL025	4.40	55	752MXL025	7.52	94	1112MXL025	11.12	139	2048MXL025	20.48	256
448MXL025	4.48	56	760MXL025	7.60	95	1120MXL025	11.2	140	2144MXL025	21.44	268
456MXL025	4.56	57	776MXL025	7.76	97	1136MXL025	11.36	142	2240MXL025	22.4	280
464MXL025	4.64	58	800MXL025	8.00	100	1176MXL025	11.76	147	2384MXL025	23.84	298
480MXL025	4.80	60	808MXL025	8.08	101	1184MXL025	11.84	148	2480MXL025	24.8	310
488MXL025	4.88	61	816MXL025	8.16	102	1200MXL025	12	150	2520MXL025	25.2	315
536MXL025	5.36	67	824MXL025	8.24	103	1224MXL025	12.24	153	2680MXL025	26.8	335
544MXL025	5.44	68	840MXL025	8.40	105	1272MXL025	12.72	159	2776MXL025	27.76	347
568MXL025	5.68	71	856MXL025	8.56	107	1280MXL025	12.8	160	2880MXL025	28.8	360
576MXL025	5.76	72	864MXL025	8.64	108	1320MXL025	13.2	165	2920MXL025	29.2	365
600MXL025	6.00	75	912MXL025	9.12	114	1400MXL025	14	175	3200MXL025	32	400
632MXL025	6.32	79	920MXL025	9.20	115	1472MXL025	14.72	184	3472MXL025	34.72	434
640MXL025	6.40	80	960MXL025	9.60	120	1520MXL025	15.2	190	3624MXL025	36.24	453
656MXL025	6.56	82	984MXL025	9.84	123	1560MXL025	15.6	195	3704MXL025	37.04	463
672MXL025	6.72	84	1000MXL025	10.00	125	1600MXL025	16	200	3784MXL025	37.84	473
680MXL025	6.80	85	1008MXL025	10.08	126	1768MXL025	17.68	221	4040MXL025	40.4	505

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.

EXAMPLE SIZING:

Part Number: 736MXL025

736 = 7.36 in. Pitch Length MXL = Section Size 025 = .25 in. Belt Width

Part Number: 1600MXL025

1600 = 16 in. Pitch Length MXL = Section Size 025 = .25 in. Belt Width



SAMPLE PART # : 168XL031

ZR TIMING

XL SECTION .200 IN. PITCH

PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH
60XL025	6	30	134XL025	13.4	67	196XL025	19.6	98	322XL025	32.2	161
70XL025	7	35	136XL025	13.6	68	200XL025	20	100	330XL025	33	165
80XL025	8	40	138XL025	13.8	69	210XL025	21	105	340XL025	34	170
86XL025	8.6	43	140XL025	14	70	220XL025	22	110	344XL025	34.4	172
88XL025	8.8	44	142XL025	14.2	71	230XL025	23	115	350XL025	35	175
90XL025	9	45	148XL025	14.8	74	240XL025	24	120	360XL025	36	180
92XL025	9.2	46	150XL025	15	75	244XL025	24.4	122	380XL025	38	190
94XL025	9.4	47	156XL025	15.6	78	248XL025	24.8	124	382XL025	38.2	191
96XL025	9.6	48	160XL025	16	80	250XL025	25	125	388XL025	38.8	194
98XL025	9.8	49	162XL025	16.2	81	260XL025	26	130	390XL025	39	195
100XL025	10	50	166XL025	16.6	83	270XL025	27	135	392XL025	39.2	196
102XL025	10.2	51	168XL025	16.8	84	272XL025	27.2	136	412XL025	41.2	206
106XL025	10.6	53	170XL025	17	85	274XL025	27.4	137	414XL025	41.4	207
108XL025	10.8	54	174XL025	17.4	87	280XL025	28	140	432XL025	43.2	216
110XL025	11	55	176XL025	17.6	88	286XL025	28.6	143	434XL025	43.4	217
112XL025	11.2	56	178XL025	17.8	89	290XL025	29	145	438XL025	43.8	219
116XL025	11.6	58	180XL025	18	90	296XL025	29.6	148	460XL025	46	230
118XL025	11.8	59	182XL025	18.2	91	300XL025	30	150	498XL025	49.8	249
120XL025	12	60	184XL025	18.4	92	306XL025	30.6	153	506XL025	50.6	253
124XL025	12.4	62	188XL025	18.8	94	310XL025	31	155	514XL025	51.4	257
126XL025	12.6	63	190XL025	19	95	316XL025	31.6	158	580XL025	58	290
128XL025	12.8	64	192XL025	19.2	96	320XL025	32	160	630XL025	63	315
130XL025	13	65	194XL025	19.4	97						
60XL031	6	30	116XL031	11.6	58	162XL031	16.2	81	210XL031	21	105
70XL031	7	35	118XL031	11.8	59	166XL031	16.6	83	220XL031	22	110
80XL031	8	40	120XL031	12	60	168XL031	16.8	84	230XL031	23	115
86XL031	8.6	43	124XL031	12.4	62	170XL031	17	85	240XL031	24	120
88XL031	8.8	44	126XL031	12.6	63	174XL031	17.4	87	244XL031	24.4	122
90XL031	9	45	128XL031	12.8	64	176XL031	17.6	88	248XL031	24.8	124
92XL031	9.2	46	130XL031	13	65	178XL031	17.8	89	250XL031	25	125
94XL031	9.4	47	134XL031	13.4	67	180XL031	18	90	260XL031	26	130
96XL031	9.6	48	136XL031	13.6	68	182XL031	18.2	91	270XL031	27	135
98XL031	9.8	49	138XL031	13.8	69	184XL031	18.4	92	272XL031	27.2	136
100XL031	10	50	140XL031	14	70	188XL031	18.8	94	274XL031	27.4	137
102XL031	10.2	51	142XL031	14.2	71	190XL031	19	95	280XL031	28	140
106XL031	10.6	53	148XL031	14.8	74	192XL031	19.2	96	286XL031	28.6	143
108XL031	10.8	54	150XL031	15	75	194XL031	19.4	97	290XL031	29	145
110XL031	11	55	156XL031	15.6	78	196XL031	19.6	98			
112XL031	11.2	56	160XL031	16	80	200XL031	20	100			

XL031 CONTINUED PG 74

ZR XL
ZR TIMING

EXAMPLE SIZING:
Part Number: 286XL025
286 = 28.6 in. Pitch Length XL = Section Size Q25 = .25 in. Belt Width
Part Number: 136XL031
136 = 13.6 in. Pitch Length XL = Section Size Q31 = .31 in. Belt Width

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.
EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.



XL SECTION .200 IN. PITCH

ZR TIMING

SAMPLE PART # : 240XL037

PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH
296XL031	29.6	148	330XL031	33	165	388XL031	38.8	194	438XL031	43.8	219
300XL031	30	150	340XL031	34	170	390XL031	39	195	460XL031	46	230
306XL031	30.6	153	344XL031	34.4	172	392XL031	39.2	196	498XL031	49.8	249
310XL031	31	155	350XL031	35	175	412XL031	41.2	206	506XL031	50.6	253
316XL031	31.6	158	360XL031	36	180	414XL031	41.4	207	514XL031	51.4	257
320XL031	32	160	380XL031	38	190	432XL031	43.2	216	580XL031	58	290
322XL031	32.2	161	382XL031	38.2	191	434XL031	43.4	217	630XL031	63	315
60XL037	6	30	134XL037	13.4	67	196XL037	19.6	98	322XL037	32.2	161
70XL037	7	35	136XL037	13.6	68	200XL037	20	100	330XL037	33	165
80XL037	8	40	138XL037	13.8	69	210XL037	21	105	340XL037	34	170
86XL037	8.6	43	140XL037	14	70	220XL037	22	110	344XL037	34.4	172
88XL037	8.8	44	142XL037	14.2	71	230XL037	23	115	350XL037	35	175
90XL037	9	45	148XL037	14.8	74	240XL037	24	120	360XL037	36	180
92XL037	9.2	46	150XL037	15	75	244XL037	24.4	122	380XL037	38	190
94XL037	9.4	47	156XL037	15.6	78	248XL037	24.8	124	382XL037	38.2	191
96XL037	9.6	48	160XL037	16	80	250XL037	25	125	388XL037	38.8	194
98XL037	9.8	49	162XL037	16.2	81	260XL037	26	130	390XL037	39	195
100XL037	10	50	166XL037	16.6	83	270XL037	27	135	392XL037	39.2	196
102XL037	10.2	51	168XL037	16.8	84	272XL037	27.2	136	412XL037	41.2	206
106XL037	10.6	53	170XL037	17	85	274XL037	27.4	137	414XL037	41.4	207
108XL037	10.8	54	174XL037	17.4	87	280XL037	28	140	432XL037	43.2	216
110XL037	11	55	176XL037	17.6	88	286XL037	28.6	143	434XL037	43.4	217
112XL037	11.2	56	178XL037	17.8	89	290XL037	29	145	438XL037	43.8	219
116XL037	11.6	58	180XL037	18	90	296XL037	29.6	148	460XL037	46	230
118XL037	11.8	59	182XL037	18.2	91	300XL037	30	150	498XL037	49.8	249
120XL037	12	60	184XL037	18.4	92	306XL037	30.6	153	506XL037	50.6	253
124XL037	12.4	62	188XL037	18.8	94	310XL037	31	155	514XL037	51.4	257
126XL037	12.6	63	190XL037	19	95	316XL037	31.6	158	580XL037	58	290
128XL037	12.8	64	192XL037	19.2	96	320XL037	32	160	630XL037	63	315
130XL037	13	65	194XL037	19.4	97						
60XL050	6	30	98XL050	9.8	49	120XL050	12	60	142XL050	14.2	71
70XL050	7	35	100XL050	10	50	124XL050	12.4	62	148XL050	14.8	74
80XL050	8	40	102XL050	10.2	51	126XL050	12.6	63	150XL050	15	75
86XL050	8.6	43	106XL050	10.6	53	128XL050	12.8	64	156XL050	15.6	78
88XL050	8.8	44	108XL050	10.8	54	130XL050	13	65	160XL050	16	80
90XL050	9	45	110XL050	11	55	134XL050	13.4	67	162XL050	16.2	81
92XL050	9.2	46	112XL050	11.2	56	136XL050	13.6	68	166XL050	16.6	83
94XL050	9.4	47	116XL050	11.6	58	138XL050	13.8	69			
96XL050	9.6	48	118XL050	11.8	59	140XL050	14	70			

XL050 CONTINUED PG 75

ZR XL
ZR TIMING

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.

EXAMPLE SIZING:

Part Number: 380XL037

380 = 38 in. Pitch Length XL = Section Size Q37 = .37 in. Belt Width

Part Number: 100XL050

100 = 10 in. Pitch Length XL = Section Size Q50 = .5 in. Belt Width



SAMPLE PART # : 192XL050

ZR TIMING

XL SECTION .200 IN. PITCH

PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH
168XL050	16.8	84	210XL050	21	105	296XL050	29.6	148	388XL050	38.8	194
170XL050	17	85	220XL050	22	110	300XL050	30	150	390XL050	39	195
174XL050	17.4	87	230XL050	23	115	306XL050	30.6	153	392XL050	39.2	196
176XL050	17.6	88	240XL050	24	120	310XL050	31	155	412XL050	41.2	206
178XL050	17.8	89	244XL050	24.4	122	316XL050	31.6	158	414XL050	41.4	207
180XL050	18	90	248XL050	24.8	124	320XL050	32	160	432XL050	43.2	216
182XL050	18.2	91	250XL050	25	125	322XL050	32.2	161	434XL050	43.4	217
184XL050	18.4	92	260XL050	26	130	330XL050	33	165	438XL050	43.8	219
188XL050	18.8	94	270XL050	27	135	340XL050	34	170	460XL050	46	230
190XL050	19	95	272XL050	27.2	136	344XL050	34.4	172	498XL050	49.8	249
192XL050	19.2	96	274XL050	27.4	137	350XL050	35	175	506XL050	50.6	253
194XL050	19.4	97	280XL050	28	140	360XL050	36	180	514XL050	51.4	257
196XL050	19.6	98	286XL050	28.6	143	380XL050	38	190	580XL050	58	290
200XL050	20	100	290XL050	29	145	382XL050	38.2	191	630XL050	63	315
60XL075	6	30	134XL075	13.4	67	196XL075	19.6	98	330XL075	33	165
70XL075	7	35	136XL075	13.6	68	200XL075	20	100	340XL075	34	170
80XL075	8	40	138XL075	13.8	69	210XL075	21	105	344XL075	34.4	172
86XL075	8.6	43	140XL075	14	70	220XL075	22	110	350XL075	35	175
88XL075	8.8	44	142XL075	14.2	71	230XL075	23	115	360XL075	36	180
90XL075	9	45	148XL075	14.8	74	240XL075	24	120	380XL075	38	190
92XL075	9.2	46	150XL075	15	75	244XL075	24.4	122	382XL075	38.2	191
94XL075	9.4	47	156XL075	15.6	78	248XL075	24.8	124	388XL075	38.8	194
96XL075	9.6	48	160XL075	16	80	250XL075	25	125	390XL075	39	195
98XL075	9.8	49	162XL075	16.2	81	260XL075	26	130	392XL075	39.2	196
100XL075	10	50	166XL075	16.6	83	270XL075	27	135	412XL075	41.2	206
102XL075	10.2	51	168XL075	16.8	84	272XL075	27.2	136	414XL075	41.4	207
106XL075	10.6	53	170XL075	17	85	274XL075	27.4	137	432XL075	43.2	216
108XL075	10.8	54	174XL075	17.4	87	280XL075	28	140	434XL075	43.4	217
110XL075	11	55	176XL075	17.6	88	286XL075	28.6	143	438XL075	43.8	219
112XL075	11.2	56	178XL075	17.8	89	290XL075	29	145	460XL075	46	230
116XL075	11.6	58	180XL075	18	90	296XL075	29.6	148	498XL075	49.8	249
118XL075	11.8	59	182XL075	18.2	91	300XL075	30	150	506XL075	50.6	253
120XL075	12	60	184XL075	18.4	92	306XL075	30.6	153	514XL075	51.4	257
124XL075	12.4	62	188XL075	18.8	94	310XL075	31	155	580XL075	58	290
126XL075	12.6	63	190XL075	19	95	316XL075	31.6	158	630XL075	63	315
128XL075	12.8	64	192XL075	19.2	96	320XL075	32	160			
130XL075	13	65	194XL075	19.4	97	322XL075	32.2	161			

XL CONTINUED PG 76

ZR XL
TIMING

EXAMPLE SIZING:
 Part Number: 176XL050
 176 = 1.76 in. Pitch Length XL = Section Size Q50 = .5 in. Belt Width
 Part Number: 390XL075
 390 = 3.9 in. Pitch Length XL = Section Size Q75 = .75 in. Belt Width

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.



XL SECTION .200 IN. PITCH

ZR TIMING

SAMPLE PART # : 240XL037

PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH
60XL100	6	30	134XL100	13.4	67	196XL100	19.6	98	322XL100	32.2	161
70XL100	7	35	136XL100	13.6	68	200XL100	20	100	330XL100	33	165
80XL100	8	40	138XL100	13.8	69	210XL100	21	105	340XL100	34	170
86XL100	8.6	43	140XL100	14	70	220XL100	22	110	344XL100	34.4	172
88XL100	8.8	44	142XL100	14.2	71	230XL100	23	115	350XL100	35	175
90XL100	9	45	148XL100	14.8	74	240XL100	24	120	360XL100	36	180
92XL100	9.2	46	150XL100	15	75	244XL100	24.4	122	380XL100	38	190
94XL100	9.4	47	156XL100	15.6	78	248XL100	24.8	124	382XL100	38.2	191
96XL100	9.6	48	160XL100	16	80	250XL100	25	125	388XL100	38.8	194
98XL100	9.8	49	162XL100	16.2	81	260XL100	26	130	390XL100	39	195
100XL100	10	50	166XL100	16.6	83	270XL100	27	135	392XL100	39.2	196
102XL100	10.2	51	168XL100	16.8	84	272XL100	27.2	136	412XL100	41.2	206
106XL100	10.6	53	170XL100	17	85	274XL100	27.4	137	414XL100	41.4	207
108XL100	10.8	54	174XL100	17.4	87	280XL100	28	140	432XL100	43.2	216
110XL100	11	55	176XL100	17.6	88	286XL100	28.6	143	434XL100	43.4	217
112XL100	11.2	56	178XL100	17.8	89	290XL100	29	145	438XL100	43.8	219
116XL100	11.6	58	180XL100	18	90	296XL100	29.6	148	460XL100	46	230
118XL100	11.8	59	182XL100	18.2	91	300XL100	30	150	498XL100	49.8	249
120XL100	12	60	184XL100	18.4	92	306XL100	30.6	153	506XL100	50.6	253
124XL100	12.4	62	188XL100	18.8	94	310XL100	31	155	514XL100	51.4	257
126XL100	12.6	63	190XL100	19	95	316XL100	31.6	158	580XL100	58	290
128XL100	12.8	64	192XL100	19.2	96	320XL100	32	160	630XL100	63	315
130XL100	13	65	194XL100	19.4	97						

CUT TO SIZE WIDTHS

If you need a custom width timing belt, OPTIBELT has you covered. Each OPTIBELT facility can cut custom widths. This means you don't have to wait for a manufactured factory order. If it is stocked it can ship!

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.

EXAMPLE SIZING:

Part Number: 180XL100

180 = 1.8 in. Pitch Length XL = Section Size 100 = 1 in. Belt Width

Part Number: 506XL100

506 = 5.06 in. Pitch Length XL = Section Size 100 = 1 in. Belt Width



SAMPLE PART # : 510L075

ZR TIMING

L SECTION .375 IN. PITCH

PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH
109L050	10.9	29	236L050	23.6	63	360L050	36	96	450L050	45	120
124L050	12.4	33	240L050	24	64	367L050	36.7	98	454L050	45.4	121
150L050	15	40	255L050	25.5	68	375L050	37.5	100	480L050	48	128
165L050	16.5	44	259L050	25.9	69	390L050	39	104	510L050	51	136
169L050	16.9	45	263L050	26.3	70	405L050	40.5	108	525L050	52.5	140
173L050	17.3	46	270L050	27	72	420L050	42	112	540L050	54	144
187L050	18.7	50	285L050	28.5	76	424L050	42.4	113	600L050	60	160
202L050	20.2	54	300L050	30	80	427L050	42.7	114	630L050	63	168
210L050	21	56	322L050	32.2	86	435L050	43.5	116	660L050	66	176
225L050	22.5	60	345L050	34.5	92	439L050	43.9	117	817L050	81.7	218
232L050	23.2	62									

109L075	10.9	29	236L075	23.6	63	360L075	36	96	450L075	45	120
124L075	12.4	33	240L075	24	64	367L075	36.7	98	454L075	45.4	121
150L075	15	40	255L075	25.5	68	375L075	37.5	100	480L075	48	128
165L075	16.5	44	259L075	25.9	69	390L075	39	104	510L075	51	136
169L075	16.9	45	263L075	26.3	70	405L075	40.5	108	525L075	52.5	140
173L075	17.3	46	270L075	27	72	420L075	42	112	540L075	54	144
187L075	18.7	50	285L075	28.5	76	424L075	42.4	113	600L075	60	160
202L075	20.2	54	300L075	30	80	427L075	42.7	114	630L075	63	168
210L075	21	56	322L075	32.2	86	435L075	43.5	116	660L075	66	176
225L075	22.5	60	345L075	34.5	92	439L075	43.9	117	817L075	81.7	218
232L075	23.2	62									

109L100	10.9	29	236L100	23.6	63	360L100	36	96	450L100	45	120
124L100	12.4	33	240L100	24	64	367L100	36.7	98	454L100	45.4	121
150L100	15	40	255L100	25.5	68	375L100	37.5	100	480L100	48	128
165L100	16.5	44	259L100	25.9	69	390L100	39	104	510L100	51	136
169L100	16.9	45	263L100	26.3	70	405L100	40.5	108	525L100	52.5	140
173L100	17.3	46	270L100	27	72	420L100	42	112	540L100	54	144
187L100	18.7	50	285L100	28.5	76	424L100	42.4	113	600L100	60	160
202L100	20.2	54	300L100	30	80	427L100	42.7	114	630L100	63	168
210L100	21	56	322L100	32.2	86	435L100	43.5	116	660L100	66	176
225L100	22.5	60	345L100	34.5	92	439L100	43.9	117	817L100	81.7	218
232L100	23.2	62									

L CONTINUED PG 78

CUT TO SIZE WIDTHS

If you need a custom width timing belt, OPTIBELT has you covered. Each OPTIBELT facility can cut custom widths. This means you don't have to wait for a manufactured factory order. If it is stocked it can ship!

EXAMPLE SIZING:

Part Number: 236L075
 236 = 2.36 in. Pitch Length L = Section Size 075 = .75 in. Belt Width
 Part Number: 480L100
 480 = 4.8 in. Pitch Length L = Section Size 100 = 1 in. Belt Width

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.



L SECTION .375 IN. PITCH

ZR TIMING

SAMPLE PART # : 270L150

PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH
109L150	10.9	29	236L150	23.6	63	360L150	36	96	450L150	45	120
124L150	12.4	33	240L150	24	64	367L150	36.7	98	454L150	45.4	121
150L150	15	40	255L150	25.5	68	375L150	37.5	100	480L150	48	128
165L150	16.5	44	259L150	25.9	69	390L150	39	104	510L150	51	136
169L150	16.9	45	263L150	26.3	70	405L150	40.5	108	525L150	52.5	140
173L150	17.3	46	270L150	27	72	420L150	42	112	540L150	54	144
187L150	18.7	50	285L150	28.5	76	424L150	42.4	113	600L150	60	160
202L150	20.2	54	300L150	30	80	427L150	42.7	114	630L150	63	168
210L150	21	56	322L150	32.2	86	435L150	43.5	116	660L150	66	176
225L150	22.5	60	345L150	34.5	92	439L150	43.9	117	817L150	81.7	218
232L150	23.2	62									
109L200	10.9	29	236L200	23.6	63	360L200	36	96	450L200	45	120
124L200	12.4	33	240L200	24	64	367L200	36.7	98	454L200	45.4	121
150L200	15	40	255L200	25.5	68	375L200	37.5	100	480L200	48	128
165L200	16.5	44	259L200	25.9	69	390L200	39	104	510L200	51	136
169L200	16.9	45	263L200	26.3	70	405L200	40.5	108	525L200	52.5	140
173L200	17.3	46	270L200	27	72	420L200	42	112	540L200	54	144
187L200	18.7	50	285L200	28.5	76	424L200	42.4	113	600L200	60	160
202L200	20.2	54	300L200	30	80	427L200	42.7	114	630L200	63	168
210L200	21	56	322L200	32.2	86	435L200	43.5	116	660L200	66	176
225L200	22.5	60	345L200	34.5	92	439L200	43.9	117	817L200	81.7	218
232L200	23.2	62									
109L300	10.9	29	236L300	23.6	63	360L300	36	96	450L300	45	120
124L300	12.4	33	240L300	24	64	367L300	36.7	98	454L300	45.4	121
150L300	15	40	255L300	25.5	68	375L300	37.5	100	480L300	48	128
165L300	16.5	44	259L300	25.9	69	390L300	39	104	510L300	51	136
169L300	16.9	45	263L300	26.3	70	405L300	40.5	108	525L300	52.5	140
173L300	17.3	46	270L300	27	72	420L300	42	112	540L300	54	144
187L300	18.7	50	285L300	28.5	76	424L300	42.4	113	600L300	60	160
202L300	20.2	54	300L300	30	80	427L300	42.7	114	630L300	63	168
210L300	21	56	322L300	32.2	86	435L300	43.5	116	660L300	66	176
225L300	22.5	60	345L300	34.5	92	439L300	43.9	117	817L300	81.7	218
232L300	23.2	62									

CUT TO SIZE WIDTHS

If you need a custom width timing belt, OPTIBELT has you covered. Each OPTIBELT facility can cut custom widths. This means you don't have to wait for a manufactured factory order. If it is stocked it can ship!

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.

EXAMPLE SIZING:

Part Number: 270L150

270 = 2.7 in. Pitch Length L = Section Size 150 = 1.5 in. Belt Width

Part Number: 150L300

150 = 1.5 in. Pitch Length L = Section Size 300 = 3 in. Belt Width



SAMPLE PART # : 410H100

ZR TIMING

H SECTION .500 IN. PITCH

PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH
230H075	23	46	375H075	37.5	75	570H075	57	114	810H075	81	162
240H075	24	48	390H075	39	78	580H075	58	116	820H075	82	164
255H075	25.5	51	400H075	40	80	600H075	60	120	850H075	85	170
270H075	27	54	410H075	41	82	630H075	63	126	860H075	86	172
280H075	28	56	420H075	42	84	650H075	65	130	900H075	90	180
300H075	30	60	430H075	43	86	660H075	66	132	950H075	95	190
310H075	31	62	450H075	45	90	670H075	67	134	1000H075	100	200
315H075	31.5	63	465H075	46.5	93	680H075	68	136	1100H075	110	220
320H075	32	64	480H075	48	96	700H075	70	140	1120H075	112	224
330H075	33	66	490H075	49	98	720H075	72	144	1140H075	114	228
335H075	33.5	67	510H075	51	102	730H075	73	146	1150H075	115	230
340H075	34	68	520H075	52	104	750H075	75	150	1250H075	125	250
350H075	35	70	530H075	53	106	770H075	77	154	1400H075	140	280
360H075	36	72	540H075	54	108	800H075	80	160	1700H075	170	340
370H075	37	74	560H075	56	112						
230H100	23	46	375H100	37.5	75	570H100	57	114	810H100	81	162
240H100	24	48	390H100	39	78	580H100	58	116	820H100	82	164
255H100	25.5	51	400H100	40	80	600H100	60	120	850H100	85	170
270H100	27	54	410H100	41	82	630H100	63	126	860H100	86	172
280H100	28	56	420H100	42	84	650H100	65	130	900H100	90	180
300H100	30	60	430H100	43	86	660H100	66	132	950H100	95	190
310H100	31	62	450H100	45	90	670H100	67	134	1000H100	100	200
315H100	31.5	63	465H100	46.5	93	680H100	68	136	1100H100	110	220
320H100	32	64	480H100	48	96	700H100	70	140	1120H100	112	224
330H100	33	66	490H100	49	98	720H100	72	144	1140H100	114	228
335H100	33.5	67	510H100	51	102	730H100	73	146	1150H100	115	230
340H100	34	68	520H100	52	104	750H100	75	150	1250H100	125	250
350H100	35	70	530H100	53	106	770H100	77	154	1400H100	140	280
360H100	36	72	540H100	54	108	800H100	80	160	1700H100	170	340
370H100	37	74	560H100	56	112						
230H150	23	46	330H150	33	66	410H150	41	82	530H150	53	106
240H150	24	48	335H150	33.5	67	420H150	42	84	540H150	54	108
255H150	25.5	51	340H150	34	68	430H150	43	86	560H150	56	112
270H150	27	54	350H150	35	70	450H150	45	90	570H150	57	114
280H150	28	56	360H150	36	72	465H150	46.5	93	580H150	58	116
300H150	30	60	370H150	37	74	480H150	48	96	600H150	60	120
310H150	31	62	375H150	37.5	75	490H150	49	98	630H150	63	126
315H150	31.5	63	390H150	39	78	510H150	51	102			
320H150	32	64	400H150	40	80	520H150	52	104			

H CONTINUED PG 80

ZR H
TIMING

EXAMPLE SIZING:
Part Number: 600H100
600 = 6 in. Pitch Length H = Section Size 100 = 1 in. Belt Width
Part Number: 270H150
270 = 2.7 in. Pitch Length H = Section Size 150 = 1.5 in. Belt Width

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.
EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.



H SECTION .500 IN. PITCH

ZR TIMING

SAMPLE PART # : 450H200

PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH
650H150	65	130	730H150	73	146	850H150	85	170	1120H150	112	224
660H150	66	132	750H150	75	150	860H150	86	172	1140H150	114	228
670H150	67	134	770H150	77	154	900H150	90	180	1150H150	115	230
680H150	68	136	800H150	80	160	950H150	95	190	1250H150	125	250
700H150	70	140	810H150	81	162	1000H150	100	200	1400H150	140	280
720H150	72	144	820H150	82	164	1100H150	110	220	1700H150	170	340
230H200	23	46	375H200	37.5	75	570H200	57	114	810H200	81	162
240H200	24	48	390H200	39	78	580H200	58	116	820H200	82	164
255H200	25.5	51	400H200	40	80	600H200	60	120	850H200	85	170
270H200	27	54	410H200	41	82	630H200	63	126	860H200	86	172
280H200	28	56	420H200	42	84	650H200	65	130	900H200	90	180
300H200	30	60	430H200	43	86	660H200	66	132	950H200	95	190
310H200	31	62	450H200	45	90	670H200	67	134	1000H200	100	200
315H200	31.5	63	465H200	46.5	93	680H200	68	136	1100H200	110	220
320H200	32	64	480H200	48	96	700H200	70	140	1120H200	112	224
330H200	33	66	490H200	49	98	720H200	72	144	1140H200	114	228
335H200	33.5	67	510H200	51	102	730H200	73	146	1150H200	115	230
340H200	34	68	520H200	52	104	750H200	75	150	1250H200	125	250
350H200	35	70	530H200	53	106	770H200	77	154	1400H200	140	280
360H200	36	72	540H200	54	108	800H200	80	160	1700H200	170	340
370H200	37	74	560H200	56	112						
230H300	23	46	375H300	37.5	75	570H300	57	114	820H300	82	164
240H300	24	48	390H300	39	78	580H300	58	116	850H300	85	170
255H300	25.5	51	400H300	40	80	600H300	60	120	860H300	86	172
270H300	27	54	410H300	41	82	630H300	63	126	900H300	90	180
280H300	28	56	420H300	42	84	650H300	65	130	950H300	95	190
300H300	30	60	430H300	43	86	660H300	66	132	1000H300	100	200
310H300	31	62	450H300	45	90	670H300	67	134	1100H300	110	220
315H300	31.5	63	465H300	46.5	93	680H300	68	136	1120H300	112	224
320H300	32	64	480H300	48	96	700H300	70	140	1140H300	114	228
330H300	33	66	490H300	49	98	720H300	72	144	1150H300	115	230
335H300	33.5	67	510H300	51	102	730H300	73	146	1250H300	125	250
340H300	34	68	520H300	52	104	750H300	75	150	1400H300	140	280
350H300	35	70	530H300	53	106	770H300	77	154	1700H300	170	340
360H300	36	72	540H300	54	108	800H300	80	160			
370H300	37	74	560H300	56	112	810H300	81	162			

H CONTINUED PG 81

ZR H
ZR TIMING

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.

EXAMPLE SIZING:

Part Number: 650H200

650 = 6.5 in. Pitch Length H = Section Size 200 = 2 in. Belt Width

Part Number: 300H300

300 = 3 in. Pitch Length L = Section Size 300 = 3 in. Belt Width



SAMPLE PART # : 630H100

ZR TIMING

H SECTION .500 IN. PITCH

PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH
230H400	23	46	375H400	37.5	75	570H400	57	114	810H400	81	162
240H400	24	48	390H400	39	78	580H400	58	116	820H400	82	164
255H400	25.5	51	400H400	40	80	600H400	60	120	850H400	85	170
270H400	27	54	410H400	41	82	630H400	63	126	860H400	86	172
280H400	28	56	420H400	42	84	650H400	65	130	900H400	90	180
300H400	30	60	430H400	43	86	660H400	66	132	950H400	95	190
310H400	31	62	450H400	45	90	670H400	67	134	1000H400	100	200
315H400	31.5	63	465H400	46.5	93	680H400	68	136	1100H400	110	220
320H400	32	64	480H400	48	96	700H400	70	140	1120H400	112	224
330H400	33	66	490H400	49	98	720H400	72	144	1140H400	114	228
335H400	33.5	67	510H400	51	102	730H400	73	146	1150H400	115	230
340H400	34	68	520H400	52	104	750H400	75	150	1250H400	125	250
350H400	35	70	530H400	53	106	770H400	77	154	1400H400	140	280
360H400	36	72	540H400	54	108	800H400	80	160	1700H400	170	340
370H400	37	74	560H400	56	112						
230H500	23	46	375H500	37.5	75	570H500	57	114	810H500	81	162
240H500	24	48	390H500	39	78	580H500	58	116	820H500	82	164
255H500	25.5	51	400H500	40	80	600H500	60	120	850H500	85	170
270H500	27	54	410H500	41	82	630H500	63	126	860H500	86	172
280H500	28	56	420H500	42	84	650H500	65	130	900H500	90	180
300H500	30	60	430H500	43	86	660H500	66	132	950H500	95	190
310H500	31	62	450H500	45	90	670H500	67	134	1000H500	100	200
315H500	31.5	63	465H500	46.5	93	680H500	68	136	1100H500	110	220
320H500	32	64	480H500	48	96	700H500	70	140	1120H500	112	224
330H500	33	66	490H500	49	98	720H500	72	144	1140H500	114	228
335H500	33.5	67	510H500	51	102	730H500	73	146	1150H500	115	230
340H500	34	68	520H500	52	104	750H500	75	150	1250H500	125	250
350H500	35	70	530H500	53	106	770H500	77	154	1400H500	140	280
360H500	36	72	540H500	54	108	800H500	80	160	1700H500	170	340
370H500	37	74	560H500	56	112						

CUT TO SIZE WIDTHS

If you need a custom width timing belt, OPTIBELT has you covered. Each OPTIBELT facility can cut custom widths. This means you don't have to wait for a manufactured factory order. If it is stocked it can ship!

ZR H
TIMING

EXAMPLE SIZING:

Part Number: 520H400

520 = 5.2 in. Pitch Length H = Section Size 400 = 4 in. Belt Width

Part Number: 1120H500

1120 = 11.2 in. Pitch Length H = Section Size 500 = 5 in. Belt Width

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.



XH SECTION .875 IN. PITCH

ZR TIMING

SAMPLE PART # : 980XH300

PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH
507XH200	50.75	58	700XH200	70	80	980XH200	98	112	980XH200	98	112
560XH200	56	64	770XH200	77	88	1120XH200	112	128	1120XH200	112	128
630XH200	63	72	840XH200	84	96	1260XH200	126	144	1260XH200	126	144
507XH300	50.75	58	700XH300	70	80	980XH300	98	112	1400XH300	140	160
560XH300	56	64	770XH300	77	88	1120XH300	112	128	1540XH300	154	176
630XH300	63	72	840XH300	84	96	1260XH300	126	144	1750XH300	175	200
507XH400	50.75	58	700XH400	70	80	980XH400	98	112	1400XH400	140	160
560XH400	56	64	770XH400	77	88	1120XH400	112	128	1540XH400	154	176
630XH400	63	72	840XH400	84	96	1260XH400	126	144	1750XH400	175	200
507XH500	50.75	58	700XH500	70	80	980XH500	98	112	1400XH500	140	160
560XH500	56	64	770XH500	77	88	1120XH500	112	128	1540XH500	154	176
630XH500	63	72	840XH500	84	96	1260XH500	126	144	1750XH500	175	200
507XH600	50.75	58	700XH600	70	80	980XH600	98	112	1400XH600	140	160
560XH600	56	64	770XH600	77	88	1120XH600	112	128	1540XH600	154	176
630XH600	63	72	840XH600	84	96	1260XH600	126	144	1750XH600	175	200
507XH700	50.75	58	700XH700	70	80	980XH700	98	112	1400XH700	140	160
560XH700	56	64	770XH700	77	88	1120XH700	112	128	1540XH700	154	176
630XH700	63	72	840XH700	84	96	1260XH700	126	144	1750XH700	175	200

XXH SECTION 1.250 IN. PITCH

ZR TIMING

SAMPLE PART # : 1800XXH200

PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH
700XXH200	70	56	900XXH200	90	72	1200XXH200	120	96	1600XXH200	160	128
800XXH200	80	64	1000XXH200	100	80	1400XXH200	140	112	1800XXH200	180	144
700XXH300	70	56	900XXH300	90	72	1200XXH300	120	96	1600XXH300	160	128
800XXH300	80	64	1000XXH300	100	80	1400XXH300	140	112	1800XXH300	180	144
700XXH400	70	56	900XXH400	90	72	1200XXH400	120	96	1600XXH400	160	128
800XXH400	80	64	1000XXH400	100	80	1400XXH400	140	112	1800XXH400	180	144
700XXH500	70	56	900XXH500	90	72	1200XXH500	120	96	1600XXH500	160	128
800XXH500	80	64	1000XXH500	100	80	1400XXH500	140	112	1800XXH500	180	144

CUT TO SIZE WIDTHS

If you need a custom width timing belt, OPTIBELT has you covered. Each OPTIBELT facility can cut custom widths. This means you don't have to wait for a manufactured factory order. If it is stocked it can ship!

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.

EXAMPLE SIZING:

Part Number: 700XH600

700 = 70 in. Pitch Length XH = Section Size 600 = 6 in. Belt Width

Part Number: 1400XXH400

1400 = 140 in. Pitch Length XXH = Section Size 400 = 4 in. Belt Width



SAMPLE PART # : 200DXL025

ZR D TIMING

D-XL SECTION .200 IN. PITCH

PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH
150DXL025	15	75	190DXL025	19	95	230DXL025	23	115	280DXL025	28	140
160DXL025	16	80	200DXL025	20	100	240DXL025	24	120	300DXL025	30	150
170DXL025	17	85	210DXL025	21	105	250DXL025	25	125	310DXL025	31	155
180DXL025	18	90	220DXL025	22	110	260DXL025	26	130			
150DXL031	15	75	190DXL031	19	95	230DXL031	23	115	280DXL031	28	140
160DXL031	16	80	200DXL031	20	100	240DXL031	24	120	300DXL031	30	150
170DXL031	17	85	210DXL031	21	105	250DXL031	25	125	310DXL031	31	155
180DXL031	18	90	220DXL031	22	110	260DXL031	26	130			
150DXL037	15	75	190DXL037	19	95	230DXL037	23	115	280DXL037	28	140
160DXL037	16	80	200DXL037	20	100	240DXL037	24	120	300DXL037	30	150
170DXL037	17	85	210DXL037	21	105	250DXL037	25	125	310DXL037	31	155
180DXL037	18	90	220DXL037	22	110	260DXL037	26	130			

SAMPLE PART # : 390DL100

ZR D TIMING

D-L SECTION .375 IN. PITCH

PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH
150DL050	15	40	255DL050	25.5	68	345DL050	34.5	92	480DL050	48	128
169DL050	16.9	45	270DL050	27	72	367DL050	36.7	98	510DL050	51	136
187DL050	18.7	50	285DL050	28.5	76	390DL050	39	104	540DL050	54	144
210DL050	21	56	300DL050	30	80	420DL050	42	112	600DL050	60	160
225DL050	22.5	60	322DL050	32.2	86	450DL050	45	120	660DL050	66	176
240DL050	24	64									
150DL075	15	40	255DL075	25.5	68	345DL075	34.5	92	480DL075	48	128
169DL075	16.9	45	270DL075	27	72	367DL075	36.7	98	510DL075	51	136
187DL075	18.7	50	285DL075	28.5	76	390DL075	39	104	540DL075	54	144
210DL075	21	56	300DL075	30	80	420DL075	42	112	600DL075	60	160
225DL075	22.5	60	322DL075	32.2	86	450DL075	45	120	660DL075	66	176
240DL075	24	64									
150DL100	15	40	255DL100	25.5	68	345DL100	34.5	92	480DL100	48	128
169DL100	16.9	45	270DL100	27	72	367DL100	36.7	98	510DL100	51	136
187DL100	18.7	50	285DL100	28.5	76	390DL100	39	104	540DL100	54	144
210DL100	21	56	300DL100	30	80	420DL100	42	112	600DL100	60	160
225DL100	22.5	60	322DL100	32.2	86	450DL100	45	120	660DL100	66	176
240DL100	24	64									

D-ZR SECTIONS CONTINUED PG 84

EXAMPLE SIZING:

Part Number: 210DXL031

210 = 21 in. Pitch Length DXL = Section Size Q31 = .31 in. Belt Width

Part Number: 540DL075

540 = 54 in. Pitch Length DL = Section Size Q75 = .75 in. Belt Width

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.



optibelt ZR
DOUBLE SIDED TIMING BELTS

DH SECTIONS
SUPERIOR CONSTRUCTION

DH SECTION .500 IN. PITCH

ZR D TIMING

SAMPLE PART # : 450DH150

PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH	PART NUMBER	PITCH LENGTH (IN)	NO. OF TEETH
240DH075	24	48	450DH075	45	90	630DH075	63	126	900DH075	90	180
270DH075	27	54	480DH075	48	96	660DH075	66	132	1000DH075	100	200
300DH075	30	60	510DH075	51	102	700DH075	70	140	1100DH075	110	220
330DH075	33	66	540DH075	54	108	750DH075	75	150	1250DH075	125	250
360DH075	36	72	570DH075	57	114	800DH075	80	160	1400DH075	140	280
390DH075	39	78	600DH075	60	120	850DH075	85	170	1700DH075	170	340
420DH075	42	84									
240DH100	24	48	450DH100	45	90	630DH100	63	126	900DH100	90	180
270DH100	27	54	480DH100	48	96	660DH100	66	132	1000DH100	100	200
300DH100	30	60	510DH100	51	102	700DH100	70	140	1100DH100	110	220
330DH100	33	66	540DH100	54	108	750DH100	75	150	1250DH100	125	250
360DH100	36	72	570DH100	57	114	800DH100	80	160	1400DH100	140	280
390DH100	39	78	600DH100	60	120	850DH100	85	170	1700DH100	170	340
420DH100	42	84									
240DH150	24	48	450DH150	45	90	630DH150	63	126	900DH150	90	180
270DH150	27	54	480DH150	48	96	660DH150	66	132	1000DH150	100	200
300DH150	30	60	510DH150	51	102	700DH150	70	140	1100DH150	110	220
330DH150	33	66	540DH150	54	108	750DH150	75	150	1250DH150	125	250
360DH150	36	72	570DH150	57	114	800DH150	80	160	1400DH150	140	280
390DH150	39	78	600DH150	60	120	850DH150	85	170	1700DH150	170	340
420DH150	42	84									
240DH200	24	48	450DH200	45	90	630DH200	63	126	900DH200	90	180
270DH200	27	54	480DH200	48	96	660DH200	66	132	1000DH200	100	200
300DH200	30	60	510DH200	51	102	700DH200	70	140	1100DH200	110	220
330DH200	33	66	540DH200	54	108	750DH200	75	150	1250DH200	125	250
360DH200	36	72	570DH200	57	114	800DH200	80	160	1400DH200	140	280
390DH200	39	78	600DH200	60	120	850DH200	85	170	1700DH200	170	340
420DH200	42	84									
240DH300	24	48	450DH300	45	90	630DH300	63	126	900DH300	90	180
270DH300	27	54	480DH300	48	96	660DH300	66	132	1000DH300	100	200
300DH300	30	60	510DH300	51	102	700DH300	70	140	1100DH300	110	220
330DH300	33	66	540DH300	54	108	750DH300	75	150	1250DH300	125	250
360DH300	36	72	570DH300	57	114	800DH300	80	160	1400DH300	140	280
390DH300	39	78	600DH300	60	120	850DH300	85	170	1700DH300	170	340
420DH300	42	84									

ZR DOUBLE
ZR TIMING

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.

EXAMPLE SIZING:

Part Number: 480DH150

480 = 48 in. Pitch Length DH = Section Size 150 = 1.5 in. Belt Width

Part Number: 1250DH200

1250 = 125 in. Pitch Length DH = Section Size 200 = 2 in. Belt Width